

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: BLUESTAR® - BEIGE TABLET

UFI: 1A00-X0HH-100X-TV2G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Chemiluminescent tablet - Blood indicator.

1.3. Details of the supplier of the safety data sheet

Registered company name: BLUESTAR.

Address: 1, avenue Henri Dunant.98000.MONACO...

Telephone: +377 97 97 31 77. Fax: -.

question@bluestar-forensic.com www.bluestar-forensic.com

1.4. Emergency telephone number: +33 (0) 1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

Other emergency numbers

National Poisons Information Service of England: http://npis.org - NHS 111: dial 111 - National Poisons Information Centre of Ireland: 353 (1) 809

2166 - LUXEMBOURG: (+352) 8002 5500 - European Emergency Number Association (EENA): 112

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin corrosion, Category 1B (Skin Corr. 1B, H314).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS05

Signal Word : DANGER

Product identifiers :

011-002-00-6 SODIUM HYDROXIDE

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements - Prevention:

P260 Do not breathe dust.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response :

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

BLUESTAR® - BEIGE TABLET - 2A(EN)

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.

Precautionary statements - Disposal :

P501 Dispose of contents/container at a disposal facility in accordance with local regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European

CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 011-002-00-6	GHS05	[1]	50 <= x % < 100
CAS: 1310-73-2	Dgr		
EC: 215-185-5	Skin Corr. 1A, H314		
REACH: 01-2119457892-27			
SODIUM HYDROXIDE			
CAS: 77-92-9		[1]	2.5 <= x % < 10
EC: 201-069-1			
ACIDE CITRIQUE			
CAS: 521-31-3	GHS07		2.5 <= x % < 10
EC: 208-309-4	Wng		
	Skin Irrit. 2, H315		
5-AMINO-1,2,3,4-TETRAHYDROPHTHA	Eye Irrit. 2, H319		
LAZINE-1,4-DIONE	STOT SE 3, H335		
CAS: 25322-68-3		[1]	2.5 <= x % < 10
EC: 500-038-2			
POLYETHYLENE GLYCOL			

Specific concentration limits:

-		
Identification	Specific concentration limits	ATE
INDEX: 011-002-00-6	Skin Corr. 1A: H314 C>= 5%	
CAS: 1310-73-2	Skin Corr. 1B: H314 2% <= C < 5%	
EC: 215-185-5	Skin Irrit. 2: H315 0.5% <= C < 2%	
REACH: 01-2119457892-27	Eye Dam. 1: H318 C>= 2%	
	Eye Irrit. 2: H319 0.5% <= C < 2%	
SODIUM HYDROXIDE		

Information on ingredients:

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Remove any soiled or splashed clothing immediately.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

BLUESTAR® - BEIGE TABLET - 2A(EN)

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable

5.1. Extinguishing media

Suitable methods of extinction

In the event of fire, use specifically suitable extinguishing agents.

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming).

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not breathe in dust.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- ACGIH TI	LV (American Confer	ence of Governmental	Industrial Hygienists,	Threshold Limit Valu	es, 2010):	
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria:	
1310-73-2			2 mg/m3			
- Germany	- AGW (BAuA - TRO	SS 900, 02/2022):		·	·	
CAS	VME :	VME :	Excess	Notes		
77-92-9		2E mg/m³		2 (I)		
25322-68-3		200 E mg/m ³		8(II)		
- Australia	(NOHSC: 3008, 1995	5):		·		
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :	
1310-73-2	2 Peak			Н		
	limitation					
	mg/m3					
- Austria (E	GBI. II Nr. 156/2021):			·	
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :	
1310-73-2	2E mg/m³	4E mg/m³				
- Belgium (Royal decree of 11/0	05/2021) :		·	·	
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
1310-73-2	2 mg/m³			M		
- France (II	NRS - Outils 65 / 202	21-1849, 2021-1763, de	ecree of 09/12/2021):			
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No :
1310-73-2	-	2	-	-	-	-
- Switzerla	nd (Suva 2021) :	·		·	·	·
CAS	VME	VLE	Valeur plafond	Notations		
1310-73-2	2 ppm	2 ppm				
77-92-9	2 ppm	4 ppm				
25322-68-3	500 ppm					
- UK / WEL	(Workplace exposu	re limits, EH40/2005, F	ourth Edition 2020):			
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :	
1310-73-2		2 mg/m³				

CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :
1310-73-2		2 mg/m³			

- USA / OSHA PEL (Occupational Safety and Health Administration, Permissible Exposure Limits):

CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :
1310-73-2	2 mg/m3				

- USA / AIHA WEEL (American Industrial Hygiene Association, Workplace Environmental Exposure Limit, 2010):

CAS	TWA:	STEL:	Ceiling :	Definition :	Criteria :
25322-68-3	10 mg/m3				

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) BLUESTAR® - BEIGE TABLET - 2A(EN)

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

Wear protective clothing against solid chemicals and particles suspended in the air (type 5) in accordance with standard EN13982-1/A1 to prevent skin contact.

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid inhaling dust.

Type of FFP mask:

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties Physical state Physical state: Solid. Colour Unspecified Odour Odour threshold: Not stated. **Melting point** Melting point/melting range : Not specified. Freezing point Freezing point / Freezing range : Not stated. Boiling point or initial boiling point and boiling range Boiling point/boiling range: Not specified. **Flammability** Flammability (solid, gas): Not stated. Lower and upper explosion limit Explosive properties, lower explosivity limit (%): Not stated. Explosive properties, upper explosivity limit (%): Not stated. Flash point Flash point interval: Not relevant. Auto-ignition temperature Self-ignition temperature : Not specified. **Decomposition temperature** Decomposition point/decomposition range: Not specified. pН pH: Not relevant. pH (aqueous solution): Not stated. Kinematic viscosity Viscosity: Not stated. Solubility Water solubility: Soluble. Not stated. Fat solubility: Partition coefficient n-octanol/water (log value) Partition coefficient: n-octanol/water: Not stated. Vapour pressure Vapour pressure (50°C): Not relevant. Density and/or relative density Density: > 1

BLUESTAR® - BEIGE TABLET - 2A(EN)

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

Formation of explosible dust/air mixtures

Maximum pressure generated by the explosion :	Not stated.
Deflagration index (Kst) : Minimum ignition energy :	Not stated. Not stated.
MEC/LEL:	Not stated.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid:

- formation of dusts

10.5. Incompatible materials

Keep away from:

- bases
- oxidising agents

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure between three minutes and one hour.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.

11.1.1. Substances

No toxicological data available for the substances.

11.1.2. Mixture

Skin corrosion/skin irritation:

Corrosivity: Causes severe skin burns.

Species : Rabbit (recommended by the CLP)

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

11.2. Information on other hazards

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

BLUESTAR® - BEIGE TABLET - 2A(EN) 12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 1: Slightly hazardous for water.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2020 [40-20] - ICAO/IATA 2023 [64]).

14.1. UN number or ID number

1759

14.2. UN proper shipping name

UN1759=CORROSIVE SOLID, N.O.S.

(sodium hydroxide)

14.3. Transport hazard class(es)

- Classification :



8

14.4. Packing group

П

14.5. Environmental hazards

14.6. Special precautions for user

14.0.0	Jeciai piec	autions for us	,							
ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	8	C10	II .	8	80	1 kg	274	E2	2	E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregati	
	8		II	1 kg	F-A. S-B	274	E2	Category	on -	
			"	i ng	74.00	274		A		
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	8	-	II .	859	15 kg	863	50 kg	A3 A803	E2	
	8	-	II	Y844	5 kg	-	-	A3 A803	E2	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Explosives precursors:

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Particular provisions:

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws):

WGK 1: Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Abbreviations and acronyms:

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

UFI: Unique formulation identifier. STEL: Short-term exposure limit TWA: Time Weighted Averages

TMP: French Occupational Illness table TLV: Threshold Limit Value (exposure) AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS05: Corrosion

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.